






## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- PEROXAN CU-80 L**
- **Trade name:** alpha, alpha-dimethylbenzyl hydroperoxide
- **Chemical Identification:** 80-15-9
- **CAS Number:** 201-254-7
- **EINECS Number:** 617-002-00-8
- **Index number:** 01-2119475796-19
- **Registration number:** 01-2119475796-19
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Reaction initiator  
For industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** PERGAN GmbH  
Hilfsstoffe für industrielle Prozesse  
Schlavenhorst 71  
D-46395 Bocholt  
Tel: +49 2871 9902-0  
Fax: +49 2871 9902-50
- **Further information obtainable from:** Environment protection / Security of labour  
Qualified person: E-mail: msds@pergan.com
- **1.4 Emergency telephone number:** - Tel: +49 2871 9902-0

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
- |                   |   |
|-------------------|---|
| Org. Perox. F     | H242 Heating may cause a fire.  |
| Acute Tox. 4      | H302 Harmful if swallowed.  |
| Acute Tox. 4      | H312 Harmful in contact with skin.                                      |
| Acute Tox. 3      | H331 Toxic if inhaled.  |
| Skin Corr. 1B     | H314 Causes severe skin burns and eye damage.                           |
| Eye Dam. 1        | H318 Causes serious eye damage.   |
| Carc. 1B          | H350 May cause cancer.  |
| STOT SE 3         | H335 May cause respiratory irritation.                                  |
| STOT RE 2         | H373 May cause damage to organs through prolonged or repeated exposure. |
| Asp. Tox. 1       | H304 May be fatal if swallowed and enters airways.                      |
| Aquatic Chronic 2 | H411 Toxic to aquatic life with long lasting effects.                   |
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
- **Hazard pictograms**
- The substance is classified and labelled according to the GB CLP regulation.
-     
- GHS02 GHS05 GHS06 GHS08 GHS09
- **Signal word**  
Danger
- **Hazard-determining components of labelling:**  
α,α -dimethylbenzyl hydroperoxide  
Cumene  
2-Phenyl-2-propanol
- **Hazard statements**
- |           |  |
|-----------|--|
| H242      | Heating may cause a fire.  |
| H302+H312 | Harmful if swallowed or in contact with skin.                      |
| H331      | Toxic if inhaled.  |
| H314      | Causes severe skin burns and eye damage.                           |
| H350      | May cause cancer.  |
| H335      | May cause respiratory irritation.                                  |
| H373      | May cause damage to organs through prolonged or repeated exposure. |
| H304      | May be fatal if swallowed and enters airways.                      |
| H411      | Toxic to aquatic life with long lasting effects.                   |
- **Precautionary statements**
- |           |   |
|-----------|---|
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  |
| P220      | Keep away from dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy metal compounds and amines). |
| P234      | Keep only in original packaging.  |
| P243      | Take action to prevent static discharges.   |
| P264      | Wash thoroughly after handling.   |
| P273      | Avoid release to the environment.   |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor.   |

## Trade name: PEROXAN CU-80 L

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P410 Protect from sunlight.

P411+P235 Store at temperatures not exceeding +30°C. Keep cool.

P420 Store separately.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Restricted to professional users.

· **Additional information:**

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

· **vPvB:**

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

· **Determination of endocrine-disrupting properties**

The substance/mixture does not contain components that exhibit endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

### SECTION 3: Composition/information on ingredients

· **3.1 Substances**

· **CAS No. Description** 80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

· **Dangerous components:**

CAS: 80-15-9 EINECS: 201-254-7 Index number: 617-002-00-8 Reg-No.: 01-2119475796-19	$\alpha,\alpha$ -dimethylbenzyl hydroperoxide Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312 Specific concentration limits: Skin Corr. 1B; H314: C $\geq$ 10 % Skin Irrit. 2; H315: 3 % $\leq$ C < 10 % Eye Dam. 1; H318: C $\geq$ 3 % Eye Irrit. 2; H319: 1 % $\leq$ C < 3 % STOT SE 3; H335: C < 10 %	80-90%
CAS: 98-82-8 EINECS: 202-704-5 Index number: 601-024-00-X Reg-No.: 01-2119473983-24	Cumene Flam. Liq. 3, H226; Carc. 1B, H350; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335	10-20%
CAS: 617-94-7 EINECS: 210-539-5	2-Phenyl-2-propanol Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%

· **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.



Take care of personal protection for the first aider.

Involve doctor immediately.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Take affected persons into fresh air and keep quiet.

Immediately wash with water and soap and rinse thoroughly.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· **After eye contact:**

Immediately remove contaminated clothing.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Protect unharmed eye.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Harmful if swallowed or in contact with skin.

Causes serious eye damage.

Toxic if inhaled.

May cause respiratory irritation.

May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 3)

GB

## Trade name: PEROXAN CU-80 L

(Contd. of page 2)

**4.3 Indication of any immediate medical attention and special treatment needed**

Causes severe skin burns and eye damage.

Treatment: Symptomatic treatment  
No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents:**  
**For safety reasons unsuitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

Water with full jet

**5.2 Special hazards arising from the substance or mixture**

Under certain fire conditions, traces of other toxic gases cannot be excluded.  
Hydrocarbons, carbondioxide and -monoxid.

**5.3 Advice for firefighters**

**Protective equipment:**

Mouth respiratory protective device.  
Do not inhale explosion gases or combustion gases.

**Additional information**

Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Self-protection first!

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources.  
In case of further temperature should be cooled with waterspray from a safe distance.  
Wear breathing apparatus with filter A during decomposition of materials.

**6.2 Environmental precautions:**

Wear protective equipment. Keep unprotected persons away.  
Inform respective authorities in case of seepage into water course or sewage system.



Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Large quantities should be diluted with suitable desensitization agent to a concentration below 10 % before disposal.  
Soak up with absorbant material (e. g. Vermiculit) and dispose of in accordance with government regulations.  
Moisten mixture of absorbent and spilled product with water.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
In case of large spillage the environmental authority should be informed.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Store in cool, dry place in tightly closed receptacles.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.  
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.  
Do not refill residue into storage receptacles.  
Restrict the quantity stored at the work place.  
Use only in well ventilated areas.  
Extractor required at the object.  
Before break and at the end of work hands should be thoroughly washed.  
Only use tools made of suitable materials (e. g. polyethylene or stainless steel).  
Avoid contact with skin and eyes.  
While using do not eat, drink or smoke.  
Keep product and emptied container away from heat and sources of ignition.  
Avoid shock and friction.



Do not smoke.

**Information about fire - and explosion protection:**

Protect from heat.  
Protect against electrostatic charges.  
Prevent impact and friction.

(Contd. on page 4)

GB

## Trade name: PEROXAN CU-80 L

(Contd. of page 3)

Keep respiratory protective device available.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Fumes can combine with air to form an explosive mixture.



Wear shoes with conductive soles.

Formation of flammable or explosive gas/air-mixtures is possible.



Avoid open flames, sparks, direct sunlight and other sources of ignition.

Keep ignition sources away - Do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

- **Storage:** Pay attention to the special requirements of your local authorities for storing dangerous goods.
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/product.
- **Information about storage in one common storage facility:** Do not store or park organic peroxide together with heavy metal compounds and amines.  
Store away from foodstuffs, drinks and feeding stuffs.
- **Further information about storage conditions:** Keep container tightly sealed.  
Protect from heat and direct sunlight.  
Storage in a collecting room is required.  
Protect from contamination.  
Store under lock and key and out of the reach of children.
- **Recommended storage temperature (To maintain quality):** 0 .... +30 °C
- **Storage class:** 5.2
- **7.3 Specific end use(s):** No further relevant information available.

## \* SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters



#### Ingredients with limit values that require monitoring at the workplace:

#### 98-82-8 Cumene

WEL (Great Britain)	Short-term value: 250 mg/m <sup>3</sup> , 50 ppm Long-term value: 125 mg/m <sup>3</sup> , 25 ppm Sk
IOELV (EU)	Short-term value: 250 mg/m <sup>3</sup> , 50 ppm Long-term value: 50 mg/m <sup>3</sup> , 10 ppm Skin

- **Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

- **Appropriate engineering controls** Effective exhaust ventilation system. Minimize workplace exposure concentrations.  
Ensure that eyewash stations and safety showers are close to the workstation location.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.  
Do not eat, drink, smoke or sniff while working.  
Use skin protection cream for skin protection.  
Be sure to clean skin thoroughly after work and before breaks.
- **Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
 Use suitable respiratory device when it exceed exposure limit and when insufficiently ventilated.  
Filter A2
- **Hand protection** Only use chemical-protective gloves with CE-labelling of category III.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
Protective gloves
- **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Butyl rubber: ≥ 0.5 mm layer thickness, < 30 minutes breakthrough time
- **Penetration time of glove material** Butyl rubber: ≥ 0.5 mm layer thickness, < 30 minutes breakthrough time

(Contd. on page 5)

GB

## Trade name: PEROXAN CU-80 L

(Contd. of page 4)

- Eye/face protection  Tightly sealed goggles
- Body protection:  Protective work clothing

### \* SECTION 9: Physical and chemical properties

<b>9.1 Information on basic physical and chemical properties</b>	
<b>General Information</b>	
· Colour:	Light yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	-9 °C (CAS 80-15-9)
· Boiling point or initial boiling point and boiling range	Not applicable. Prior to or during boiling decomposition occurs.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	64 °C
· Decomposition temperature:	+80 °C (SADT)
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	15 mPas
· Solubility	
· water at 25 °C:	13.9 g/l (CAS 80-15-9)
· Partition coefficient n-octanol/water (log value)	see section 12
· Vapour pressure at 25 °C:	0.0044 hPa (CAS 80-15-9)
· Density and/or relative density	
· Density at 20 °C:	1.04 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
<b>9.2 Other information</b>	
· Appearance:	No further relevant information available.
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Change in condition	
· Evaporation rate	Not determined.
<b>Information with regard to physical hazard classes</b>	
· Organic peroxides	Void
· Other safety characteristics	Heating may cause a fire.
· Active oxygen	8.3 - 8.7 %

### SECTION 10: Stability and reactivity

- 10.1 Reactivity Stable under the specified storage conditions.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
 

SADT (Self Accelerating Decomposition Temperature) is the lowest temperature at which self accelerating decomposition may occur with substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by decomposition at and above the temperature. Contact with incompatible substances can cause decomposition at or below the SADT.

No decomposition if used and stored according to specifications.  
To avoid thermal decomposition do not overheat.
- 10.3 Possibility of hazardous reactions Self-accelerating decomposition at SADT.
- 10.4 Conditions to avoid Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: Avoid open flames, sparks, direct sunlight and other sources of ignition.  
Rapid decomposition by dirt, rust, chemicals in particular concentrated acids, alkalis and accelerators (e. g. heavy-metal compounds and amines).
- 10.6 Hazardous decomposition products: Hydrocarbons, carbon dioxide and -monoxide.

Fire and decomposition may produce irritating, corrosive, flammable, harmful or toxic gases and vapours.

(Contd. on page 6)  
GB

Trade name: **PEROXAN CU-80 L**

(Contd. of page 5)

- **Additional information:** Emergency procedures will vary depending on conditions. The customer should have an emergency response plane in place.

**SECTION 11: Toxicological information**· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Harmful if swallowed or in contact with skin.  
Toxic if inhaled.

· **LD/LC50 values relevant for classification:****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

Oral	LD50	382 mg/kg (Rat)
Dermal	LD50	134 mg/kg (rabbit)
Inhalative	LC50 / 4h	1.37 mg/l (Rat)

**98-82-8 Cumene**

Oral	LD50	2,260 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC0 6h	17.6 mg/l (Rat)

**617-94-7 2-Phenyl-2-propanol**

Oral	LD50	1,300 mg/kg (Rat)
Dermal	LD50	4,300 mg/kg (rabbit)

· **Primary irritant effect:**

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.

· **Skin corrosion/irritation****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

Rabbit	(corrosive)
--------	-------------

**98-82-8 Cumene**

Rabbit	(non-irritant) (OECD 404)
--------	---------------------------

**617-94-7 2-Phenyl-2-propanol**

Rabbit	(irritant)
--------	------------

- **Serious eye damage/irritation** Causes serious eye damage.

· **Serious eye damage/irritation****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

Rabbit	(corrosive)
--------	-------------

**98-82-8 Cumene**

Rabbit	(non-irritant) (OECD 405)
--------	---------------------------

**617-94-7 2-Phenyl-2-propanol**

Rabbit	(Irritating to the eyes.)
--------	---------------------------

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

.	(not sensitizing)
---	-------------------

**98-82-8 Cumene**

guinea pigs	(not sensitizing) (OECD 406)
-------------	------------------------------

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

in vitro	(evidence of effects)
in vivo	(no evidence of effects)

**98-82-8 Cumene**

in vitro	(negative) (OECD 471)
	(negative) (OECD 482)
	(negative) (OECD 473)
	(negative) (OECD 476)
in vivo	(ambiguous) (OECD 474)

- **Carcinogenicity** May cause cancer.

· **Carcinogenicity****80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

.	(no data available)
---	---------------------

**98-82-8 Cumene**

.	(sufficient evidence in animal experiments)
---	---

(Contd. on page 7)

GB



## Trade name: PEROXAN CU-80 L

(Contd. of page 6)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **STOT-repeated exposure**

### 80-15-9 $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

Inhalative NOAEC 31 mg/m<sup>3</sup> (Rat)

### 98-82-8 Cumene

Inhalative NOAEC 612 mg/m<sup>3</sup> (Rat) (OECD 413)

- **Aspiration hazard** May be fatal if swallowed and enters airways.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** The substance/mixture does not contain components that exhibit endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

None of the ingredients is listed.

## SECTION 12: Ecological information

### · 12.1 Toxicity

#### · Aquatic toxicity:

### 80-15-9 $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

EC50 / 72h 3.1 mg/l (desmodesmus subspicatus) (OECD 201)

LC50 / 96h 3.9 mg/l (oncorhynchus mykiss) (OECD 203)

LC50 10-100 mg/l (leuciscus idus)

EC50 / 48h 18.84 mg/l (daphnia) (OECD 202)

### 98-82-8 Cumene

EC50 / 72h 2.01 mg/l (desmodesmus subspicatus) (OECD 201)

LC50 / 96h 4.7 mg/l (cyprinodon variegatus)

4.8 mg/l (oncorhynchus mykiss)

EC50 / 48h 2.14 mg/l (daphnia) (OECD 202)

NOEC daphnia 0.35 mg/l (daphnia) (OECD 211)

### · 12.2 Persistence and degradability

#### · Degree of elimination:

#### · Classification:

### 80-15-9 $\alpha,\alpha$ -dimethylbenzyl hydroperoxide

Degradation (Not readily biodegradable) (OECD 301 B)

### 98-82-8 Cumene

Degradation (Readily biodegradable)

### · 12.3 Bioaccumulative potential

#### · Partition coefficient: nOctanol/water: [Log Kow]

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide 1,6 (25°C)

98-82-8 Cumene 3,55 (20°C)

617-94-7 2-Phenyl-2-propanol 1,89 (25°C)

98-86-2 acetophenone 1,65 (20°C)

#### · Bioconcentration factor (BCF)

80-15-9  $\alpha,\alpha$ -dimethylbenzyl hydroperoxide < 1

98-82-8 Cumene 94,69

### · 12.4 Mobility in soil

No further relevant information available.

### · 12.5 Results of PBT and vPvB assessment

#### · PBT:

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

#### · vPvB:

This substance does not meet the PBT/vPvB criteria of UK REACH, Annex XIII.

### · 12.6 Endocrine disrupting properties

The substance/mixture does not contain components that exhibit endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

The product does not contain substances with endocrine disrupting properties.

### · 12.7 Other adverse effects

No further relevant information available.

#### · Remark:

Toxic for fish

#### · Additional ecological information:

- **General notes:** Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)

GB

Trade name: **PEROXAN CU-80 L**

Toxic for aquatic organisms

(Contd. of page 7)

**SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation



After diluting with a suitable desensitisation agent to 10 %, the solution must be supplied to a special treatment (e. g. thermal utilization) under observance of all official regulations.

- Waste disposal key:
- Uncleaned packaging:
- Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Please contact your hazardous waste disposers to assign the right EWC-(European waste catalog)-number.

This material and its container must be disposed of as hazardous waste.

**SECTION 14: Transport information**

<ul style="list-style-type: none"> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	UN3109
<ul style="list-style-type: none"> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG</li> <li>IATA</li> </ul>	UN3109 ORGANIC PEROXIDE TYPE F, LIQUID (CUMYLHYDROPEROXIDE), ENVIRONMENTALLY HAZARDOUS ORGANIC PEROXIDE TYPE F, LIQUID (CUMYLHYDROPEROXIDE), MARINE POLLUTANT ORGANIC PEROXIDE TYPE F, LIQUID (CUMYLHYDROPEROXIDE)
<ul style="list-style-type: none"> <li>14.3 Transport hazard class(es)</li> <li>ADR</li> </ul> <ul style="list-style-type: none"> <li>Class</li> <li>Label</li> </ul>	5.2 (P1) Organic peroxides. 5.2+8
<ul style="list-style-type: none"> <li>IMDG</li> </ul> <ul style="list-style-type: none"> <li>Class</li> <li>Label</li> </ul>	5.2 Organic peroxides. 5.2/8
<ul style="list-style-type: none"> <li>IATA</li> </ul> <ul style="list-style-type: none"> <li>Class</li> <li>Label</li> </ul>	5.2 Organic peroxides. 5.2 (8)
<ul style="list-style-type: none"> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul style="list-style-type: none"> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> <li>Special marking (ADR):</li> </ul>	Product contains environmentally hazardous substances: CUMYLHYDROPEROXIDE Yes Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>Stowage Category</li> <li>Stowage Code</li> <li>Segregation Code</li> </ul>	Warning: Organic peroxides. 539 D SW1 Protected from sources of heat. SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. SG72 See 7.2.6.3.2.
<ul style="list-style-type: none"> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>Transport/Additional information:</li> </ul>	
<ul style="list-style-type: none"> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	125 ml Code: E0 Not permitted as Excepted Quantity 2 D

(Contd. on page 9)  
GB



Trade name: **PEROXAN CU-80 L**

(Contd. of page 8)

· RID / GGVSEB:	like ADR
· IMDG	
· Limited quantities (LQ)	125 ml
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### · Poisons Act

##### · Regulated explosives precursors

None of the ingredients is listed.

##### · Regulated poisons

None of the ingredients is listed.

##### · Reportable explosives precursors

None of the ingredients is listed.

##### · Reportable poisons

None of the ingredients is listed.

#### · Directive 2012/18/EU

##### · Qualifying quantity (tonnes) for the application of lower-tier requirements

50 t

##### · Qualifying quantity (tonnes) for the application of upper-tier requirements

200 t

#### · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### · National regulations:

#### · Other regulations, limitations and prohibitive regulations

##### · Please note: Take care of the respective local regulations.

#### · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H226 Flammable liquid and vapour. H242 Heating may cause a fire. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.
· Department issuing SDS:	Environment protection / Security of labour
· Contact:	Tel: +49 2871 9902-0 E-mail: mail@pergan.com
· Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

GB

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 25.09.2025

Version: 11 (replaces version 10)

Revision: 01.07.2024

Trade name: **PEROXAN CU-80 L**

(Contd. of page 9)

IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Org. Perox. E: Organic peroxides – Type E/F  
Org. Perox. F: Organic peroxides – Type E/F  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Carc. 1B: Carcinogenicity – Category 1B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· \* Data compared to the previous  
version altered.

GB